

SAFETY DATA SHEET DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

Product number MCC-DC1L, MCC-DC1G, MCC-DC1D, MCC-DC1GL, MCC-DC1GG

Synonyms; trade names DC1-VERICLEAN FLUX REMOVER, NON AEROSOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier MICROCARE EUROPE BVBA

VEKESTRAAT 29 B11 INDUSTRIEZONE 'T SAS 1910 KAMPENHOUT, Belgium Phone +32.2.251.95.05 Fax +32.2.400.96.39

Manufacturer MICROCARE U.K. LTD

SEVEN HILLS BUSINESS CENTRE

SOUTH STREET, MORLEY

EuroSales@MicroCare.com

LEEDS, WEST YORKSHIRE, UK LS27 8AT

Tel: +44 (0) 113 3609019 mcceurope@microcare.com

1.4. Emergency telephone number

Emergency telephone INFOTRAC +44 330 027 0156 (UK)

1-352-323-3500 (from anywhere in the world)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

Health hazards Not Classified

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

Human health Splashes in the eyes may cause redness and irritation. Keep out of the reach of children. See

Section 11 for additional information on health hazards.

Physicochemical The product is highly flammable. Vapours may form explosive mixtures with air.

2.2. Label elements

Hazard pictograms





Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

moking.

P240 Ground and bond container and receiving equipment.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label

information RCH001a For use in industrial installations only.

Supplementary precautionary

statements

P233 Keep container tightly closed.

P241 Use explosion-proof electrical equipment.

EUH210 Safety data sheet available on request.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P391 Collect spillage.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

HEXAMETHYLDISILOXANE (Methyl siloxane)

60-100%

CAS number: 107-46-0 EC number: 203-492-7 REACH registration number: 01-

2119496108-31

M factor (Acute) = 1

Classification

Flam. Liq. 2 - H225 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

1-METHOXY-2-PROPANOL

10-30%

CAS number: 107-98-2 EC number: 203-539-1

Classification

Flam. Liq. 3 - H226 STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

Composition

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Promptly remove any clothing that becomes wet or contaminated. Move affected person to

fresh air at once. Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. When breathing is difficult, properly trained

personnel may assist affected person by administering oxygen. Keep affected person warm

and at rest. Get medical attention immediately.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink.

Never give anything by mouth to an unconscious person. Consult a physician for specific

advice.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray,

fog or mist.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is flammable. Heating may generate flammable vapours. Oxides of carbon.

Protection against nuisance dust must be used when the airborne concentration exceeds 10

mg/m3.

5.3. Advice for firefighters

Protective actions during

firefighting

Containers close to fire should be removed or cooled with water. Use water to keep fire

exposed containers cool and disperse vapours.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is

required, the following protection should be worn: Tight-fitting safety glasses.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Never use water by itself on

spillage; this will spread the spill and cause further contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. If leakage cannot be stopped, evacuate area. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and

eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air

contamination is above an acceptable level. Keep out of the reach of children.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, sparks and open flame.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Reference to other sections. Store away from incompatible materials (see Section 10).

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): WEL 100 ppm 375 mg/m³ Short-term exposure limit (15-minute): WEL 150 ppm 560 mg/m³ Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn:

Chemical splash goggles or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

prolonged vapour contact.

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Promptly remove any clothing that becomes wet or contaminated. When

using do not eat, drink or smoke.

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

Respiratory protection No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Clear liquid. Colourless.

Odour Slight. Ether.

Odour threshold No information available.

pH No information available.

Melting point No information available.

Initial boiling point and range 98°C/210°F @ 101.3 kPa

Flash point -4.0°C / 25°F Method: Tag closed cup.

Evaporation rate

No information available.

Evaporation factor

No information available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Upper flammable/explosive limit: 18.6 %(V) Lower flammable/explosive limit: 1.25 %(V)

Vapour pressure 5.95 kPa @ 20°C

Vapour density > 1.0

Relative density

No information available.

Bulk density

No information available.

Solubility(ies) Insoluble in water.

Partition coefficient No information available.

Auto-ignition temperature 365°C/689°F

Decomposition Temperature No information available.

Viscosity No information available.

Explosive properties No information available.

Global Warming Potential

(GWP)

Surface tension

9.2. Other information

Refractive index No information available.

Particle size Not applicable.

Molecular weight Not applicable.

Volatility 100%

Saturation concentration No information available.

Critical temperature No information available.

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

Volatile organic compound This product contains a maximum VOC content of 87 g/litre.

Heat of vaporization (at boiling

point), cal/g (Btu/lb)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid contact with the following materials:

Strong oxidising agents. Strong alkalis. Strong mineral acids.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Vapours/gases/fumes of: Silicon dioxide Formaldehyde

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Other health effects There is no evidence that the product can cause cancer.

Inhalation May cause respiratory system irritation. Vapours may cause headache, fatigue, dizziness and

nausea. Prolonged inhalation of high concentrations may damage respiratory system.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin contact Product has a defatting effect on skin. May cause skin irritation/eczema.

Eye contact Irritating to eyes.

Toxicological information on ingredients.

HEXAMETHYLDISILOXANE (Methyl siloxane)

Acute toxicity - inhalation

Acute toxicity inhalation

106.0

(LC₅₀ vapours mg/l)

Species Rat

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product.

12.1. Toxicity

Ecological information on ingredients.

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

HEXAMETHYLDISILOXANE (Methyl siloxane)

Toxicity Very toxic to aquatic organisms.

Acute aquatic toxicity

LE(C)₅₀ $0.1 < L(E)C50 \le 1$

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 0.46 mg/l mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 72 hours: 0.79 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 96 hours: > 0.93 mg/l, Selenastrum capricornutum

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility The product contains volatile substances which may spread in the atmosphere.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

 UN No. (ADR/RID)
 UN1993

 UN No. (IMDG)
 UN1993

 UN No. (ICAO)
 UN1993

14.2. UN proper shipping name

Proper shipping name (IMDG) UN1993, FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane), 3, PGII

Proper shipping name (ICAO) UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII

14.3. Transport hazard class(es)

ADR/RID class 3

IMDG class 3

ICAO class/division 3

14.4. Packing group

ADR/RID packing group

IMDG packing group

ICAO packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-E. S-E

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

$\underline{\textbf{15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture}$

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

US - TSCA

Yes

SECTION 16: Other information

Revision date 01/06/2021

Revision 39

Supersedes date 13/03/2020
SDS number BULK - DC1
SDS status Approved.

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.