

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

freeprint® IBT

UFI: KAW0-D17F-C00S-5MGN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Light-curing single component material for the generative production of orthodontic splints and brackets.

1.3. Details of the supplier of the safety data sheet

Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number:	
	+49 7243/510-0	
	This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)	
	+49 7243/510-0	
	This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 - 4.00 p.m.)	

1.4. Emergency telephone number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

(Octahydro-4,7-methano-1H-indenyl)methyl acrylate

2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester

Urethanacrylat Oligomer

Urethane Dimethacrylate

2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate


2-hydroxyethyl acrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

2-hydroxyethyl methacrylate

Signal word: Warning

Pictograms:



Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/ container in accordance with local and national regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 3 of 13

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
93962-84-6	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate			30 - < 35 %
	300-723-4		01-2120785023-58	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B, STOT SE 3, Aquatic Chronic 2; H315 H319 H317 H335 H411			
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester			30 - < 35 %
	266-380-7			
	Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H317 H411			
	Urethanacrylat Oligomer			30 - < 35 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335			
72869-86-4	Urethane Dimethacrylate			10 - < 15 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335			
142-90-5	dodecyl methacrylate			5 - < 10 %
	205-570-6	607-247-00-9	01-2119489778-11	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H315 H319 H335 H400 H410			
5187-23-5	5-ethyl-1,3-dioxane-5-methanol			1 - < 5 %
	225-967-8			
	Eye Irrit. 2; H319			
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate			1 - < 5 %
	239-701-3	607-111-00-9		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H315 H319 H317 H400 H410			
818-61-1	2-hydroxyethyl acrylate			< 1 %
	212-454-9	607-072-00-8		
	Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1; H311 H314 H317 H400			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			< 1 %
	278-355-8	015-203-00-X		
	Repr. 2, Skin Sens. 1B, Aquatic Chronic 2; H361f H317 H411			
868-77-9	2-hydroxyethyl methacrylate			< 1 %
	212-782-2	607-124-00-X		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317			
128-37-0	"BHT; butylated hydroxytoluene"			< 1 %
	204-881-4			
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H315 H319 H400 H410			

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 4 of 13

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
142-90-5	205-570-6	dodecyl methacrylate	5 - < 10 %
		STOT SE 3; H335: >= 10 - 100	
818-61-1	212-454-9	2-hydroxyethyl acrylate	< 1 %
		Skin Sens. 1; H317: >= 0,2 - 100	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 5 of 13

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of lighth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

7.3. Specific end use(s)

Light-curing single component material for the generative production of orthodontic splints and brackets.

For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL

8.2. Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 6 of 13

Suitable are gloves of the following material: NBR (Nitrile rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid:
Colour:	clear
Odour:	faintly like esters

Test method

pH-Value:	not determined
-----------	----------------

Changes in the physical state

Melting point:	not determined
----------------	----------------

Initial boiling point and boiling range:	not determined
--	----------------

Flash point:	>100 °C	DIN 51755
--------------	---------	-----------

Flammability

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Explosive properties

The product is not: Explosive.

Lower explosion limits:	not determined
-------------------------	----------------

Upper explosion limits:	not determined
-------------------------	----------------

Auto-ignition temperature

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Decomposition temperature:	>=190 °C
----------------------------	----------

Oxidizing properties

Not oxidizing.

Vapour pressure: (at 20 °C)	<1 hPa
--------------------------------	--------

Density (at 20 °C):	1,09 g/cm³	DIN 51757
---------------------	------------	-----------

Water solubility:	insoluble
-------------------	-----------

Solubility in other solvents

not determined

Partition coefficient:	not determined
------------------------	----------------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

9.2. Other information

Solid content:	not determined
----------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 7 of 13

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : strong oxidising agents, strong alkaline or acidic materials.

10.4. Conditions to avoid

Ultra-violet light and daylight initiate polymerisation of the product. Therefore keep only in tightly closed containers away from any sources of light at 15°C - 28°C / 59°F - 82 °F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 8 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
93962-84-6	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate				
	oral	LD50 2000 mg/kg	Rat		OECD 423
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester				
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 2000 mg/kg	Rat		
142-90-5	dodecyl methacrylate				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >3000 mg/kg	Rabbit		
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat		
818-61-1	2-hydroxyethyl acrylate				
	oral	LD50 548 mg/kg	Rat		
	dermal	LD50 298 mg/kg	Rabbit	GESTIS	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat		
868-77-9	2-hydroxyethyl methacrylate				
	oral	LD50 5050 mg/kg	Rat		
	dermal	LD50 >3000 mg/kg	Rabbit		
128-37-0	"BHT; butylated hydroxytoluene"				
	oral	LD50 890 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat	OECD 402	

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. ((Octahydro-4,7-methano-1H-indenyl)methyl acrylate; 2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester; Urethanacrylat Oligomer; Urethane Dimethacrylate; 2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate; 2-hydroxyethyl acrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; 2-hydroxyethyl methacrylate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 9 of 13

STOT-single exposure

May cause respiratory irritation. ((Octahydro-4,7-methano-1H-indenyl)methyl acrylate; Urethanacrylat Oligomer)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
93962-84-6	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate					
	Acute fish toxicity	LC50 1,8 mg/l	96 h	Brachydanio rerio (zebra-fish)		OECD 203
	Acute algae toxicity	ErC50 1,15 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 2,64 mg/l	48 h	Daphnia magna (Big water flea)		OECD 202
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester					
	Acute fish toxicity	LC50 4 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 34 mg/l	72 h	Desmodesmus subspicatus.		
	Acute crustacea toxicity	EC50 20 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(>1,000 mg/l)	3 h	Activated sludge		
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate					
	Acute algae toxicity	ErC50 4,86 mg/l	96 h	Desmodesmus subspicatus.		
	Acute crustacea toxicity	EC50 19,9 mg/l	48 h	Daphnia magna (Big water flea)		
818-61-1	2-hydroxyethyl acrylate					
	Acute fish toxicity	LC50 4,8 mg/l	96 h		GESTIS	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
	Acute algae toxicity	ErC50 >2,01 mg/l	72 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 3,53 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(>1000 mg/l)	3 h	Activated sludge		
868-77-9	2-hydroxyethyl methacrylate					
	Acute fish toxicity	LC50 227 mg/l	96 h	Pimephales promelas		
128-37-0	"BHT; butylated hydroxytoluene"					
	Acute crustacea toxicity	EC50 0,48 mg/l	48 h	Daphnia pulex (water flea)		

12.2. Persistence and degradability

according to Regulation (EC) No 1907/2006

freepoint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 10 of 13

The product has not been tested.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
93962-84-6	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	11,8%	28	
		Not readily biodegradable (according to OECD criteria)			
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester	Evidence for inherent biodegradability.	28%	28	
142-90-5	dodecyl methacrylate	OECD 201	88,5%	28	
		Readily biodegradable (according to OECD criteria).			
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate		86%	28	
		Readily biodegradable (according to OECD criteria).			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide		0-10%	28	
		Not readily biodegradable (according to OECD criteria)			
868-77-9	2-hydroxyethyl methacrylate	84	%	28	
	Leicht biologisch abbaubar				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester	1,9
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate	0,67
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
868-77-9	2-hydroxyethyl methacrylate	0,47
128-37-0	"BHT; butylated hydroxytoluene"	5,1

BCF

CAS No	Chemical name	BCF	Species	Source
142-90-5	dodecyl methacrylate	37	Brachydanio rerio (zebra-fish)	OECD 305
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	47-55	Cyprinus carpio (Common Carp)	

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Not identified as PBT/ vPvB substances

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 11 of 13

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Contains: (Octahydro-4,7-methano-1H-indenyl)methyl acrylate
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-

Marine transport (IMDG)

14.1. UN number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Contains: (Octahydro-4,7-methano-1H-indenyl)methyl acrylate
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F

Other applicable information (marine transport)

Flash point: >100°C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Contains: (Octahydro-4,7-methano-1H-indenyl)methyl acrylate
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 12 of 13

IATA-max. quantity - Cargo:

450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU
(SEVESO III):

E2 Hazardous to the Aquatic Environment

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

3 - strongly hazardous to water

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

EmS: Emergency Schedules

according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 17.12.2020

Product code: 1105

Page 13 of 13

MFAG: Medical First Aid Guide
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 @1602.B016012

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)